



GOVERNMENT SERVICES COMMITTEE

MONDAY, MAY 16, 2011
6:15 P.M.

COUNCIL CHAMBERS, CITY HALL
410 ESPLANADE

Mandate – To advise Council on a broad spectrum of issues related to departmental matters

COUNCILLOR STEVE ARNETT, CHAIR

Page

CALL TO ORDER

1. AGENDA APPROVAL
2. MINUTES 1 – 3
 - 2.1. April 18, 2011
3. DELEGATIONS
None
4. CITY MANAGER'S REPORT
5. STAFF REPORTS 4 – 11
 - 5.1. Centralized Water Treatment – Tender 12
 - 5.2. Building Inspector's Report – April 2011 13
 - 5.3. Trolley Report – April 2011 14
 - 5.4. Fire Chief's Report – April 2011 15 – 16
 - 5.5. Coastal Animal Control Services – April 2011 Pound Report
6. MEMBER SUBMISSIONS

Page

7. CORRESPONDENCE

17 - 32

- 7.1. Maureen Norman, First Avenue Barber Shop
Petition regarding parking issues at 320-322 First Avenue**

Staff Recommendation:

That the petition be referred to staff for review and recommendation.

8. NEW BUSINESS

9. UNFINISHED BUSINESS

None

ADJOURNMENT



LADYSMITH

TOWN OF LADYSMITH
MINUTES OF A REGULAR SESSION OF
THE GOVERNMENT SERVICES COMMITTEE
MONDAY, APRIL 18, 2011 – 6:15 P.M.

COUNCIL MEMBERS PRESENT:

Councillor Steve Arnett (Chair)
Councillor Lori Evans

Mayor Rob Hutchins
Councillor Duck Paterson

Councillor Jillian Dashwood
Councillor Bruce Whittington

COUNCIL MEMBERS ABSENT:

Councillor Scott Bastian

STAFF PRESENT:

Ruth Malli
Erin Anderson

Sandy Bowden
Joanna Winter

Felicity Adams

CALL TO ORDER

Councillor Arnett called the meeting to order at 6:18 p.m.

AGENDA APPROVAL

2011-034

It was moved, seconded and carried that the agenda for the Government Services Committee meeting of April 18, 2011 be adopted as circulated.

MINUTES

2011-035

It was moved, seconded and carried that the Government Services Committee minutes for the meeting held March 21, 2011 be adopted as circulated.

DELEGATIONS

Ed Nicholson, Ladysmith & District Historical Society

E. Nicholson of the Ladysmith and District Historical Society made a presentation outlining the need for a Ladysmith museum, and requesting assistance from the Town in investigating the feasibility of establishing a museum and finding grant funding.

Greg Roberts, Ladysmith Community Gardens Society

G. Roberts made a presentation regarding successes of the Society in its first year of operating a community garden, and invited Council to make suggestions regarding other contributions the Society could be making to the community. Committee members thanked Mr. Roberts for his presentation and thanked the society for their hard work, and congratulated them on their successes to date.

**CITY MANAGER'S
REPORT**

The City Manager reported that her priority for the month had been the preparation of the 2011 to 2015 Financial Plan.

REPORTS

2011-036

Condition of the Trees at the Ladysmith Arboretum

It was moved, seconded and carried that the Committee recommend that Council request staff to schedule a seminar for staff of Vancouver Island municipalities on construction practices around existing trees and that the removal of a gingko and four other dead or dying trees in the Ladysmith Arboretum, and their replacement with the same species of trees.

Staff were requested to ensure that the replacement trees will be suitable for the conditions at the Arboretum.

2011-037

Ladysmith Community Gardens

It was moved, seconded and carried that the Committee recommend that Council enter into a Licence of Occupation and Use Agreement with the Ladysmith Community Gardens Society for the Ladysmith Community Garden/ High Street Green on a portion of High Street Park.

2011-038

Building Inspector's Report for March, 2011

It was moved, seconded and carried that the Building Inspector's Report for March 2011 be received.

2011-039

Trolley Report for March 2011

It was moved, seconded and carried that the Trolley Report for March 2011 be received.

2011-040

Fire Chief's Report for March 2011

It was moved, seconded and carried that the Fire Chief's Report for March 2011 be received.

2011-041

Animal Control / Pound Report for March 2011

It was moved, seconded and carried that the Animal Control / Pound Report for March be received.

Staff were requested to determine whether the report can identify repeat offenders under the 'Aggressive/ Large animals' category.

Ladysmith Detachment, Royal Canadian Mounted Police

It was moved, seconded and carried that the quarterly report for January to March 2011 from S/Sgt. Roger Plamondon, Ladysmith Detachment, Royal Canadian Mounted Police, be received.

CORRESPONDENCE

Isabelle Ouelette, Ladysmith and District Historical Society

2011-042

It was moved, seconded and carried that the Committee recommend that Council refer the matter of the proposed Ladysmith Museum as outlined in the correspondence from the Ladysmith and District Historical Society dated April 5, 2011, to the Heritage Revitalization Advisory Commission and to the Parks, Recreation and Culture Commission.

ADJOURNMENT

2011-043

It was moved, seconded and carried that this meeting of the Government Services Committee be adjourned at 7:00 p.m.




Chair (Councillor S. Arnett)

CERTIFIED CORRECT

Corporate Officer (S. Bowden)

Subject to Adoption



Town of Ladysmith

STAFF REPORT

To: Ruth Malli, City Manager
From: Joe Friesenhan, Director of Public Works
Date: May 11, 2011
File No:

Re: CENTRALIZED WATER TREATMENT TENDER

RECOMMENDATION(S):

That Council authorize staff to tender the construction of the centralized treatment facility, the dual pipeline from the South end chlorinator to the Arbutus Reservoir, and the new power supply, to be funded from the Water Utility Reserve Fund.

PURPOSE:

To obtain Council authorization to tender the construction of projects that are required as part of the Town's Operating Permit for the water supply system, without funding assistance from a Government Grant.

INTRODUCTION/BACKGROUND:

In order to ensure a safe and adequate water supply for residents in the Town of Ladysmith for now and the future, the Town embarked on a plan to upgrade its water system based on a report prepared by Earth Tech (Canada) Inc. in 2003. Part of the Town's water supply strategy included the reduction of peak water demands by implementing water conservation strategies, the first of which was the installation of water meters throughout the entire Town. This strategy effectively reduced the Town's water demand from 1,720,171 cubic metres in 2002 to 1,313,950 cubic metres in 2010. This 23.62% decrease in water consumption was achieved despite a population increase of 1398 or 20.42%.

In 2008, the Town completed the first of the improvements recommended by the report with the construction of the enclosed Arbutus Reservoir. The new higher reservoir location now allows the Town to supply the south end from one location. This in turn allows the Town to eliminate the chlorination station in the south end and combine under a centralized treatment plant at Arbutus.

Combining the water supply distribution point at one location will eliminate the need for a second reservoir at the south end, will reduce future treatment costs and will help to reduce the Town's carbon footprint. The elimination of the south end chlorination station will provide the ideal location for the Town's first in-line turbine which will assist with reducing the line pressure while creating electricity that can be sold back to B.C. Hydro. A separate report regarding alternative power was received by Council in October, 2010.

../2

The Town has also received notification from the Vancouver Island Health Authority (VIHA) of a new 4-3-2-1 regulation which identifies the level of treatment required for surface water providers. VIHA also requires that all municipalities put into effect a compliance program for implementation, including timelines. In December 2008, Council adopted a 5 year Capital Plan which would bring the Town into compliance with the regulations. The Town has received a new operating permit for operating a water system from VIHA with a number of conditions attached to bring the Town's system into compliance with the new 4-3-2-1 regulations. Under the new conditions set out in the permit, the Town must meet some standards immediately and others must be achieved by set dates as identified in the 5 year Capital Plan.

In January 2009, an application for a 'Towns for Tomorrow' grant for the construction of a centralized treatment facility to a maximum of \$375,000 was submitted to the Province, but not approved. In March of 2009, a second intake of the Canada/British Columbia Building Canada Fund was announced. An application was submitted for the construction of a dual pipeline from the south end to Arbutus, a centralised treatment facility, a new power supply and a pipeline from Holland Lake to Stocking Lake. In January, 2010, we were officially notified that we were unsuccessful in obtaining the grant.

Numerous discussions have taken place between the Town and senior government in an effort to obtain funding. A new application has been submitted as a "shovel ready" project for the dual pipeline between the south end and Arbutus reservoir, the centralized chlorination and the new power supply. The total estimated cost for this portion of the work is \$2,478,000. Council authorized s to complete the detailed design for all three projects at the regular Council meeting on March 8, 2010. The detailed design is now completed. The Town did not receive early approval for the above grant, but is still under consideration for funding.

A letter from VIHA (attached) requires a revised 5 year capital plan for our drinking water supply as the completion dates in our Operating Permit have not been met. A new Operating Permit was issued on February 14, 2011 with alternative implementation dates for the construction to be completed.

SCOPE OF WORK:

Go to tender for the construction of the pipeline from the South end to the Arbutus Reservoir, phase I of the centralized treatment facility, and the new power supply for the treatment facility.

ALTERNATIVES:

1. Wait for a grant funding decision (not recommended)
2. Decide to fund this project from reserves and borrowing.

FINANCIAL IMPLICATIONS:

There are insufficient funds in the water utility reserve to cover the total cost of the project. A borrowing bylaw will have to be considered.

LEGAL IMPLICATIONS:

The Town was required to complete the centralized water treatment system and related work prior to March 31, 2011, according to the Term's of the water system operating permit.

CITIZEN/PUBLIC RELATIONS IMPLICATIONS:

A safe and adequate water supply system is a vital service that the Town provides to citizens. Improvements to the system will be positively received. Failure to act to meet the terms of the Town's operating permit for the water system could lead to lack of public confidence in the Town's water system.

INTERDEPARTMENTAL INVOLVEMENT/IMPLICATIONS:

Public Works to manage Construction Contract and Financial Services to ensure funding is in place.

RESOURCE IMPLICATIONS:

The work in question would be completed by private sector contractors.

ALIGNMENT WITH SUSTAINABILITY VISIONING REPORT:

This project aligns with the 5th Pillar of Sustainability (Innovative Infrastructure) in the Visioning Report.

ALIGNMENT WITH STRATEGIC PRIORITIES:

A safe and adequate water supply aligns with Strategic Direction 4—Enhanced Standard of Infrastructure and Strategic Direction 6 – Safe and Healthy Community.

SUMMARY:

In order to meet the new 4-3-2-1 regulations set out by VIHA for the Town's water supply system, the Town is required to complete some treatment strategies over a short time period. In 2009, the Town received a new Operating Permit which included the need to complete the construction of a dual water main from the south end to Arbutus, a centralized chlorination facility and upgrade the power supply to Arbutus by March 31, 2011. Applications for grants to assist in funding the work have been unsuccessful to date. A new application was submitted in January. The detailed design of the works is completed and ready for tender and it is recommended that the next phase of the work proceed.

I concur with the recommendation.

Ruth Malli, City Manager

ATTACHMENTS:

Letter from VIHA
Copy of Operating Permit




VANCOUVER ISLAND

health
authority

February 15, 2010

Attention: Joe Friesenhan, Director of Public Works
Town of Ladysmith
330 6th Avenue
PO Box 220
Ladysmith, BC V9G 1A2



Dear Mr. Friesenhan;

Re: Town of Ladysmith Water Quality Monitoring Program

We are in receipt of a November 30, 2009 *Town of Ladysmith Water Quality Monitoring Program* report (the "Report") by Matt Palmer, P. Eng., of Koers & Associates Engineering Ltd. We have reviewed the report and have the following comments:

1. All surface waters must be filtered according to the Vancouver Island Health Authority (VIHA) Drinking Water Treatment for Surface Water Policy. However, a water supplier can request a waiver from filtration if the source water meets certain criteria: satisfactory bacteriological parameters, two primary disinfectants and a daily average source water turbidity of less than 1 NTU (95% of the days) which does not exceed 5 NTU on more than 2 days in a 12 month period.

Please be aware that average daily source water turbidity levels must be measured at equal intervals. The Report references weekly turbidity monitoring of raw source waters - this is insufficient. If you wish to seek a filtration waiver, VIHA will require, at a minimum, one year's worth of daily source water turbidity level monitoring (at least every 4 hours). Once the turbidity study is complete, you may apply to the local Medical Health Officer for a filtration deferral/waiver.

2. The Town of Ladysmith Drinking Water System Operating Permit issued on July 24, 2009, required continuous turbidity monitoring. Please ensure there is a continuous turbidity monitoring meter on each source.
3. Provide our office with a revised five year capital plan for your drinking water supply as the completion dates in your Operating Permit have not been met (see attached dates listed in Appendix A). Please provide our office with revised alternative implementation dates.

Page 1 of 2
Cont.....

Health Protection &
Environmental Services
3rd Floor, 6475 Metral Drive
Nanaimo BC V9T 2L9

Central Island
Ph: (250) 755-6215
Fax: (250) 755-3372

4. Develop an Action Plan for conventional filtration in the event that turbidity monitoring reveals elevated turbidity levels/turbidity spikes. Concurrent with the above turbidity study, develop the Action Plan for filtration. Ensure this plan examines different filtration plants/options, their different locations, conceptual sketches, associated financial costs, etc.

In summary, please provide our office with a revised Report (including a schedule for the completion of the items described above) and forward it to our office by March 15, 2010. If you have any questions regarding this letter, please contact me at (250) 755-6215.

Yours truly,



Bill Lucko
Environmental Health Officer

Cc: D. Glenn, Senior EHO
J. Spencer, PHE
M. Palmer, P. Eng, Koers & Associates Engineering Ltd.

Town of Ladysmith
→ permits



VANCOUVER ISLAND
**health
authority**

APPENDIX A

WATER SYSTEM OPERATING CONDITIONS FOR

TOWN OF LADYSMITH WATER WORKS

330 6th Avenue

Ladysmith, BC, V0R 2E0

1. Existing Performance Standards

The Water System Owner (Town of Ladysmith) shall ensure the disinfection system is in good working order and provide the following:

- Raw water turbidity must be recorded on a continuous basis and shall not exceed 1 NTU in more than 5% of the average daily measurements in each calendar month. If the raw water exceeds an average of 5 NTU for a period of more than 12 hours, the Drinking Water Officer must be contacted immediately.

2. Treatment Specification

The Water System Owner shall provide two treatment processes acceptable to the Vancouver Island Health Authority, to achieve a 4-log removal/inactivation of viruses, a 3-log removal/inactivation of Giardia cysts and Cryptosporidium oocysts, and produce a finished water with less than 1 NTU turbidity.

The Water System Owner is required to meet the following implementation plan dates:

- | | |
|-----------------------------|--|
| a. <u>December 31, 2009</u> | Completion of the design for the centralized treatment facility and the interconnection main between the Arbutus Reservoir and the south end |
| b. <u>June 1, 2010</u> | Construction has begun on the centralized treatment facility with completion scheduled for December 31, 2010 |
| c. <u>December 31, 2011</u> | Completion of the Holland Lake to Stocking Lake outlet diversion pipe |
| d. <u>December 31, 2013</u> | Completion of reservoir servicing South Ladysmith |

Date: July 24, 2009

Issued By: 
Environmental Health Officer

Health Protection &
Environmental Services
3rd Floor, 6475 Metral Drive
Nanaimo BC V9T 2L9

Central Island
Ph: (250) 755-6215
Fax: (250) 755-3372



VANCOUVER ISLAND

health
authority

A WATER SUPPLY SYSTEM

Water System Name: **TOWN OF LADYSMITH WATER WORKS**
Premises Number: **1310824**

Premises Address: **330 6th Avenue
Ladysmith, BC
V0R 2E0**

Water System Owner: **Town Of Ladysmith**

Town Of Ladysmith is hereby permitted to operate the above potable water supply system and is required to operate this system in accordance with the Drinking Water Protection Act and in accordance with the conditions set out in this operating permit and conditions established as part of any construction permit.

The water supply system for which this operating permit applies is generally described as:

Service Delivery Area: **Town of Ladysmith and Diamond Improvement District**
Source Water: **Banon Creek, Stocking Lake, Holland Lake, Chicken Ladder Dam**
Water Treatment methods are: **None**
Water Disinfection methods are: **Chlorine**

Number of Connections **301-10,000 Connections - DWT**

Operating conditions specific to this water supply system are in Appendix A.

Date: February 14, 2011

Issued By: 
Environmental Health Officer

Health Protection &
Environmental Services
3rd Floor, 6475 Metral Drive
Nanaimo BC V9T 2L9

Central Island
Ph: (250) 755-6215
Fax: (250) 755-3372



VANCOUVER ISLAND
**health
authority**

APPENDIX A

**WATER SYSTEM OPERATING CONDITIONS FOR
TOWN OF LADYSMITH WATER WORKS**

330 6th Avenue
Ladysmith, BC, V0R 2E0

1. Existing Performance Standards

The Water System Owner (Town of Ladysmith) shall ensure the disinfection system is in good working order to provide the following:

Raw water turbidity must be recorded on a continuous basis and shall not exceed 1 NTU in more than 5% of the average daily measurements in each calendar month. If the raw water exceeds an average of 5 NTU for a period of more than 12 hours, the Drinking Water Officer must be contacted immediately.

2. Treatment Specifications

The Water System Owner shall provide two treatment processes acceptable to the Vancouver Island Health Authority, to achieve a 4-log removal/inactivation of viruses, a 3-log removal/inactivation of Giardia cysts and Cryptosporidium oocytes, and produce a finished water with less than 1 NTU turbidity.

The Water System Owner is required to meet the following implementation plan dates:

a. February 28, 2011

Completion of the design for the centralized treatment facility and the interconnection main from the Arbutus Reservoir to the south end.

b. August 31, 2011

Construction of the centralized treatment facility has begun with completion for March 31, 2012

Date: Febraury 14, 2011

Environmental Health Officer

Health Protection &
Environmental Services
3rd Floor, 6475 Metral Drive
Nanaimo BC V9T 2L9

Central Island
Ph: (250) 755-6215
Fax: (250) 755-3372



TOWN OF LADYSMITH

Building Permit Summary - APRIL 2011

APR	Commercial		Industrial		Institutional		Residential (NEW)		Residential Adds, Renos, Other		Dwelling Units	Total Permits	Bidg & Plbg Permit Fees This Month	Permit Values This Month	Permit Values Year to Date 2011
	No. of Permits	Values	No. of Permits	Values	No. of Permits	Values	No. of Permits (new res)	Values	No. of Permits	Values					
2	\$202,200	\$0	0	\$0	0	\$0	1	\$160,920	4	\$56,184	2	7	\$3,043	\$419,304	\$2,366,510

Year to Date


	Commercial		Industrial		Institutional		Residential (NEW)		Residential Adds, Renos, Other		Dwelling Units	Total Permits	Bidg & Plbg Permit Fees This Month	Permit Values This Month	Permit Values Year to Date 2011
	No. of Permits	Values	No. of Permits	Values	No. of Permits	Values	No. of Permits (new res)	Values	No. of Permits	Values					
JAN	0	\$0	0	\$0	0	\$0	3	\$452,202	7	\$50,160	3	10	\$4,205	\$502,362	\$502,362
FEB	0	\$0	0	\$0	0	\$0	5	\$784,204	11	\$105,080	5	16	\$5,367	\$889,284	\$1,391,646
MAR	2	\$90,000	0	\$0	2	\$20,000	2	\$231,660	6	\$213,900	2	12	\$4,091	\$555,560	\$1,947,206
APR	2	\$202,200	0	\$0	0	\$0	1	\$160,920	4	\$56,184	2	7	\$3,043	\$419,304	\$2,366,510
MAY															
JUN															
JUL															
AUG															
SEP															
OCT															
NOV															
DEC															
TOTAL	4	\$292,200	0	\$0	2	\$20,000	11	\$1,628,986	28	\$425,324	12	45	\$16,706	\$2,366,510	

Demos Mth	#DU	Value	#BP	Value
	0			

Comparison	#DU	Value	#BP	Value
YTD 2011	12	\$1,628,986	45	\$2,366,510
YTD 2010	32	\$3,868,402	55	\$6,453,870
YTD 2009	12	\$1,485,000	46	\$4,486,270

Tom Skarvig, Building Inspector

Note: There are two dwelling units reported, however only one reported under the section Residential (New). One of the commercial permits is for a dwelling unit above the commercial building, therefore there are two dwelling units for the month of April, 2011.



TOWN OF LADYSMITH
TROLLEY BUS ACTIVITY REPORT - Trolleys 103/105
APRIL 2011

Day	Date	Passenger Count	Fuel Litres	KM Start	KM Finish	Weather	Wheel Chairs	Service Dogs	Bikes
Fri	1	83	72	91793	92006	Rain	0	0	0
Sat	2	91	71	92006	92216	Sun/Cloud	0	0	2
Sun	3								
Mon	4	97	71	92217	92430	Sun/Cloud/Rain	0	1	2
Tue	5	81	74	92430	92644	Sun/Cloud/Rain	1	0	1
Wed	6	80	77	92644	92855	Sun/Cloud/Rain	1	0	1
Thu	7	86	74	92855	93048	Sun/Coud	2	0	0
Fri	8	124	81	93048	93259	Sun	0	1	2
Sat	9	67	66	93260	93470	Cloud	1	1	2
Sun	10								
Mon	11	82	86	82575	82780	Sun	0	0	2
Tue	12	75	76	93475	93687	Cloud	0	0	0
Wed	13	86	75	93687	93899	Sun/Cloud/Rain	0	0	1
Thu	14	88	77	93899	94108	Cloud/Rain	0	0	2
Fri	15	85	66	94108	94323	Sun	0	1	2
Sat	16	79	68	94323	94534	Sun/Coud	0	1	4
Sun	17								
Mon	18	106	69	94534	94749	Sun	0	1	4
Tue	19	92	90	94749	94961	Sun/Cloud/Rain	0	0	2
Wed	20	95	74	94961	95171	Cloud/Rain	1	0	2
Thu	21	120	64	95171	95384	Sun/Cloud	1	0	0
Fri	22	STAT							
Sat	23	63	61	95384	95595	Sun	0	1	2
Sun	24								
Mon	25	STAT							
Tue	26	99	74	95595	95806	Sun/Cloud/Rain	0	1	2
Wed	27	89	78	95806	96017	Sun/Cloud/Rain	0	1	4
Thu	28	88	78	96017	96229	Sun/Cloud	0	0	1
Fri	29	117	67	96229	96442	Sun	0	0	0
Sat	30	72	73	96442	96653	Sun	0	0	0
TOTAL		2145	1762				7	9	38

DONATIONS FOR April 2011 - \$660.64

DONATIONS YEAR-TO-DATE \$2277.96

AVERAGE DAILY RIDER COUNT FOR April 2011 - 89



Ladysmith Fire / Rescue

P.O. Box 760 Ladysmith, B.C. V9G 1A5
 Phone: 250-245-6436 • Fax: 250-245-0917



FIRE CHIEF'S REPORT

MONTH: **April**, 2011

TYPE OF CALL OUT	J	F	M	A	M	J	J	A	S	O	N	D	YEAR'S TOTALS
Alarms Activated: Pulled Station			1										1
By mistake		2	3										5
Electrical problem	4	1		1									5
Due to cooking		1		1									1
Assistance													
Burning Complaint													
Fire: Structure	2	1											3
Chimney	3		2										5
Interface / Bush													
Vehicle		2	1										3
Other	1			1									1
Hazardous Materials	2	1		2									3
Hydro Lines: Down / Fire	2		1										3
Medical Aid	4	1	2	5									7
Mutual Aid	1		1										2
MVI	3	2	4	1									9
Rescue				2									
MONTH TOTALS (not incl. Practises)	22	11	15	13									61
Practises (Totals for each Month)	4	4	5	4									17

ALARMS ACTIVATED (location/owner):

- 1162 Cloke Road Faulty Sensor
- 543 Rothdale grease in oven caught fire, activating smoke detector

COMPARISONS:

Year to Date / 11 61 (excl. practises)
 Year to Date / 10 45 (excl. practises)
 Year to Date / 09 55 (excl. practises)

APPROVED:

Ray DeLoe
 Fire Chief

COASTAL ANIMAL CONTROL SERVICES OF BC LTD

2202 Herd Rd. Duncan, BC. V9L 6A6

(250) 748-3395

RECEIVED
MAY 06 2011

TOWN OF LADYSMITH POUND REPORT

April 2011

Disposition of Impounded Dogs	Current Month	2011 Totals
Stray dogs impounded	2	7
Stray dogs claimed	2	7
Stray dogs put up for adoption	0	0
Stray dogs euthanized	0	0
Stray livestock / cats	0	0
Other	0	0
Calls Received and Investigated	11	33
Aggressive dogs	1	5
Dogs at large	5	13
Confined dog	2	3
Noise (barking) complaints	0	4
Other non specific dog related calls	3	8
Wildlife / livestock / cats	0	0
After hour call outs	0	3
Monthly Pound and Board Fees Collected	\$180.00	\$875.00
Impound fees	\$150.00	\$650.00
Daily board fees	\$30.00	\$225.00
Tickets issued	0	2
Unlicenced dog	\$0	\$0
Dog not effectively controlled (14a)	\$0	\$100.00
Dangerous dog not muzzled (12e)	\$0	\$250.00
Habitually noisy	\$0	\$0
Licencing Statistics		
	Tags	5
	Revenue	\$140.00
		20
		\$550.00


Judi Burnett

CAS Summary of Service Calls, Ladysmith

11 calls in total

01-Apr-11 to 30-Apr-11

Issue	Call #	Received	Type	Completed
Aggressive		1		
	848	13-Apr-11	Dog	
At large		5		
	852	18-Apr-11	Dog	28-Apr-11
	851	18-Apr-11	Dog	19-Apr-11
	850	15-Apr-11	Dog	15-Apr-11
	849	14-Apr-11	Dog	14-Apr-11
	846	04-Apr-11	Dog	04-Apr-11
Confined		2		
	847	12-Apr-11	Dog	13-Apr-11
	845	02-Apr-11	Dog	04-Apr-11
Other		3		
	854	26-Apr-11	Dog	29-Apr-11
	853	18-Apr-11	Dog	29-Apr-11
	844	01-Apr-11	Dog	20-Apr-11



Mayor and Council

April 21st 2011

This is an outline of our requests regarding parking issues at 320-322 1st Ave:

ANGLE PARKING

Safety issues:

- Traffic is too fast, very congested making the area dangerous
- U-turns are constant, adding to congestion and unsafe driving practices
- Two [too] tall evergreens have grown beyond their original design making for unsafe conditions for pedestrians approaching the road from stairs
- Speed bump[s] would be an asset

Improved parking:

- Constant complaints about inadequate parking
- Would remove the challenge of parallel parking
- Would improve the order of things, everyone plays nicely
- Add more parking spaces
- Gain more parking

Uptown has become extremely busy with businesses in every building. With the residence across the street occupying 3 spaces, that area is not designated so they have taken possession.

Cutting back shrubbery southbound will accommodate R.V's and extra parallel parking.

Handicap Parking:

- Availability is non-existent, one at the north side of stairs would be appreciated and one at base of laneway would be another great addition to our neighborhood

We have collected 300 signatures, many are out-of-towners who regularly patronize our Beautiful town...

On behalf of all Uptown businesses we look forward to our Future with You....

Maureen Norman [owner]
 1st Ave Barber Shop
 320 1st Ave Ladysmith
 250-245-7771

**PETITION TO THE TOWN OF LADYSMITH
REQUESTING ANGLE PARKING BE EXTENDED ON FIRST AVENUE FROM THE TROLLEY
STOP AT LADYSMITH CREDIT UNION TO THE FIRE HYDRANT LOCATION**

NAME

ADDRESS

PHONE

SIGNATURE

MIKE KOTIWA LADYSMITH 245-8496 *M Kotiwa*

DOUG BOURQUE LADYSMITH 245-0659 *[Signature]*

NEIL PAEK CHEMAINUS 246-9813 *Neil Paek*

George Myers LADYSMITH 245-2640 *[Signature]*

GABRIEL LAPORTE LADYSMITH 245-0248 *[Signature]*

George MacDougal Saltair 245-2842 *[Signature]*

R. Biebing CHEMAINUS 246-4286 *[Signature]*

Colt BERNARD A. RYAN Yellow Point 244-1811 *[Signature]*

Colt Biebing 4224 Sobhuze RD LADYSMITH 245-8388 *[Signature]*

Rick Ulrich 506 Schubert Pl 245-8760 *[Signature]*

Yvonne Graf 621 Stirring 245-0327 *[Signature]*

Stacey Warren 1137 Wallken 245-0394 *[Signature]*

Gordon Keiser Chemainus P.C.

Ryan Grant Lady Smith 245-3669

DONALD GRANT Chemainus 246-9207 *[Signature]*

M H Smith Ladysmith 245-8588

Kathleen Fletcher Ladysmith ~~245-8768~~ *[Signature]*

Bob Taylor Ladysmith 245-8266 *[Signature]*

Dave King Ladysmith 245-4260 *[Signature]*

HOWARD WARREN Ladysmith 924-5805 *[Signature]*

Alex Watt 312 French St. 603-2293 *[Signature]*

**PETITION TO THE TOWN OF LADYSMITH
REQUESTING ANGLE PARKING BE EXTENDED ON FIRST AVENUE FROM THE TROLLEY
STOP AT LADYSMITH CREDIT UNION TO THE FIRE HYDRANT LOCATION**

NAME	ADDRESS	PHONE	SIGNATURE
BOB AIELLO	2228-CEDAR Rd	722-2572	B. Aiello
RANDY BOYKA	9-500 PERSUICK RD	245-5503	Randy Boyka
Bill Wilson	71215 T.C. NY	245-4185	Bill Wilson
Bill Morrison	831 Cameron Way	245-9247	Bill Morrison
GARY DIVOSKOB	1720 TIMBERLAND RD	245-7333	Gary Divoskob
RALPH TOOMBS	410 MYLENE CRES	245-1484	Ralph Toombs
Tewar Lebowan	505 Smith	250 245-2338	Tewar Lebowan
Donald E. Mangle	295 4th AVE EXT.	250-924-1250	Donald E. Mangle
Robin Schoenberger	645 Oakwood Rd.	30-245-99033	Robin Schoenberger
Tom Williams	3960 SALTATR RD	245-3547	Tom Williams
Jerry Carraway	822 DAVIDSON RD.	245-1420	Jerry Carraway
Rogerson	12437 Rocky Creek.		Rogerson
TOM COOKE	315 HOLLAND CREEK PL.	802-1614 753 3515	Tom Cooke
John Hall	2760 TWILIGHT WAY.		John Hall
Star Seymour	4090 Eagle Crescent	Lady Smith	245-352
Larry Williams	5113 Barouch Rd.	Lady Smith	L. Williams
Scott ROSS	636 Cedar Wood Rd	732-2007	Scott Ross
Steve King	515 Louise	734-4510	Steve King
Marion Barnes	636 Alderwood	245-5379	Marion Barnes
Bob Nelson	1148 CLARE R.D.	245-3770	Bob Nelson
Kevin Smith	530 DOUGLAS Ph.	245-4508	Kevin Smith
Dance Burdett	2200 DOGWOOD	924-0291	Dance Burdett

**PETITION TO THE TOWN OF LADYSMITH
REQUESTING ANGLE PARKING BE EXTENDED ON FIRST AVENUE FROM THE TROLLEY
STOP AT LADYSMITH CREDIT UNION TO THE FIRE HYDRANT LOCATION**

NAME ADDRESS PHONE SIGNATURE

Michael Poghney	638 Walker RD	245-4027	Michael Poghney
Clayton Folster	12560 Trans can Hwy	250-245-1082	Clayton Folster
ARVO V. PAIVARINTA	100-210 BAYVIEW	LADYSMITH 250-245-4646	Arvo V. Paivarinta
El Rasmussen	33 BARDENBULL ST	245-3945	El Rasmussen
Andy Jezewski	10880 Grandwood Rd.	245-5101	Andy Jezewski
Greg Rovis	510 Esplanade	245-2772	Greg Rovis
Dane McIntyre	Rocky Creek Rd.	245-8264	Dane McIntyre
WAYNE T. BONSALL	533 KITCHENER ST.	245-9109	Wayne T. Bonsall
MIKE ROBERSON	12435 Rocky Cr. Rd	245-7586	Mike Roberson
Dan Hanson	824 CRAIG RD. LADYSMITH	245-0510	Dan Hanson
Rob Waters	12335 Rocky Creek Rd	245-7041	Rob Waters
Pat Grooms	210 Jamison	245-1389	Pat Grooms
Russ Boux	911 COLONIA DR	245-9991	Russ Boux
Randy Dureck	*76-658 Alderwood Dr	924-5759	Randy Dureck
Mike Hilly	534 Hooper PL	245-7944	Mike Hilly
Brian Pastor	423 Hattley Pl	245-1149	Brian Pastor
Brian Pastor		248-2028	Brian Pastor
G. Boudier	6060 CANADA AVE, DUNGAN BC	748-5522	G. Boudier
Brian Johnson	438 First Ave #2	245-4176	Brian Johnson
B. HODGSON	AKENHEAD RD NAN DAISY HILL FARM	754-4641	B. Hodgson
NORM ALTMANNHOFFER	3180 HILL RD LADYSMITH	924 4016	Norm Altmannhoffer
Jim I Green	70-10890 WESTBORNE RD.	245-0300	Jim I Green

**PETITION TO THE TOWN OF LADYSMITH
REQUESTING ANGLE PARKING BE EXTENDED ON FIRST AVENUE FROM THE TROLLEY
STOP AT LADYSMITH CREDIT UNION TO THE FIRE HYDRANT LOCATION**

NAME ADDRESS PHONE SIGNATURE

Dean Doyle	1114 SHORL PL.	245 0420	<i>[Signature]</i>
IAN BROWN	THAT IS ISLAND	246-9629	Don Brown
Stu Gow	309 WHITE ST	245-9954	<i>[Signature]</i>
Donna Lindehor	133 Roberts St	924-5350	<i>[Signature]</i>
Perry Malone	222 Jamison Rd	245-3177	<i>[Signature]</i>
ROYCE ROBERSON	10590 SOUTHERN RD	810-4050	<i>[Signature]</i>
Curtis Woodell	3190 Chapman RD	246 0255	Curtis Woodell
Sergey Tuben	233 Dogwood. Dr.	797-0255	Sergey Tuben
Lloyd Hunt	524. 2nd Ave	245-1874	<i>[Signature]</i>
GEORGE PATTRAY	#15-500 RUSSELL RD	245 0889	<i>[Signature]</i>
BILL HASLAM	3091 ADSHEAD RD.	245-4092	Bill Haslam
David Kuhn	851 Colonia	245-0095	<i>[Signature]</i>
Lorne BATTLE	12 High	816-3560	<i>[Signature]</i>
GEORGE LEES	389 LAKE RD.	924 5385	George Lees
J. HARLOW	1118 STILLIN	245 3862	<i>[Signature]</i>
Cap'n Maloney	851 Colonia Dr.	245 0095	<i>[Signature]</i>
Brian Fungo	NANAIMO		Brian Fungo
Carolyn Dale	Ladysmith	245-8810	Carolyn Dale
RON DALE	Ladysmith	250 245 8810	<i>[Signature]</i>
ROD MILROY	215-385 DAVIS RD.	250-245-4974	R Milroy

**PETITION TO THE TOWN OF LADYSMITH
REQUESTING ANGLE PARKING BE EXTENDED ON FIRST AVENUE FROM THE TROLLEY
STOP AT LADYSMITH CREDIT UNION TO THE FIRE HYDRANT LOCATION**

NAME

ADDRESS

PHONE

SIGNATURE

GRAHAM	1300 PROSPECT	250 245 4906	Graham
LOISELLE	651 ALDERWOOD DR	245-5002	Loiselle
WARD	473 THETTS DR	245-2072	WARD
J. Paul	11935 Silverstead RD.		J. Paul
John D. Wood	13444 Adcock RD.		John D. Wood
LEBENHAGEN	#33 1150 WALKER RD	780 974 9864	Lebenhagen
RICHARDSON	5120 AND ROAD	(250) 244-3958	Richardson
ARMITAGE	1259 McKinley Rd.	245-3782	Armitage
J. MANWINE	126 ARDYS CRES	245 9201	J. Manwine
Art Watson	532 GATACRE	710-5515	Art Watson
ED GENDRON	1355 X MIDAS	245-3200	Ed Gendron
G. Humphries	3934 Shell Beach Rd.	245-5085	G. Humphries
J PETERSEN	815 DUNSMUIR CR	245 0167	J Petersen
David Little	2717 Charles Rd. Nemo	250-245-0286	David Little
W. OUELLETTE	200 SAMISON RD	LADYSMITH 245-3534	W. Ouellette
M. Erickson	340 Morgan Rd	Ladysmith 245 2307	M. Erickson
HARRY ERICKSON	340 MORGAN RD	Ladysmith 245-2307	Harry Erickson
Dylan Leichter	132 3RD ST	LADYSMITH 667-1775	Dylan Leichter
GARTH BUCH	910-4TH AVE.	245-5847	Garth Buch
Noel McKenna	125 Methuen St	245-3359	Noel McKenna

**PETITION TO THE TOWN OF LADYSMITH
REQUESTING ANGLE PARKING BE EXTENDED ON FIRST AVENUE FROM THE TROLLEY
STOP AT LADYSMITH CREDIT UNION TO THE FIRE HYDRANT LOCATION**

NAME	ADDRESS	PHONE	SIGNATURE
Gord Finley	320 Ladysmith	245-9286	Gord Finley
Lyle Campbell	401 Ladysmith	245-3280	
Ernie Becker	LADYSMITH	245-5085	
Barbara Champagne	BOX 233	LADYSMITH 245-3079	Barbara Champagne
Don Shubing	394 Woody	-- 245-8047	
Matt Gatehouse	325 Symonds St	245-3157	
Peter Lewis	422 Esolenade	924-5501	
ANGUS CHAN	249 GREENHORN	245-0554	
Rick Harris	12201 Tideview Rd	245 9615 Ladysmith	Rick Harris
Charles Harris Jr	3773 ocean view rd	Ladysmith	
Mike Primrose	#41129 Seco. AVE.	245-3375	
Rhea Primrose	#4-1129 Second Ave	245-3375	Rhea Primrose
John Winc	852 Thomas Cres.	924-3344	
ROD SWORD	3802 FEARN WAY,	245-2180	
H SINCLAIRE	407 ASHWELL PL.	245-0515	H Sinclair
BRIAN PRIDDLE	11815 FAIRTIME RD	245 2345	Brian Priddle
RON DELFAY	1127 2ND AVE	245-5318	
Adrienne Hart	1326 ledewood	245-8660	
Harry Kjelley	Box 1801	245-3039	
John Knudsen	622 Bickle Drive	245-4642	John Knudsen

70

**PETITION TO THE TOWN OF LADYSMITH
REQUESTING ANGLE PARKING BE EXTENDED ON FIRST AVENUE FROM THE TROLLEY
STOP AT LADYSMITH CREDIT UNION TO THE FIRE HYDRANT LOCATION**

NAME	ADDRESS	PHONE	SIGNATURE
BRIAN NICOL	LADYSMITH	713-3220	Brian Nicol
JACK WATSON	LADYSMITH	250-7741	Jack Watson
LARRY DENT	LADYSMITH	245-9313	Larry Dent
Graham Hatcher	Ladysmith	245-3901	Graham Hatcher
Ditte Fletcher	Ladysmith	245-3901	Ditte Fletcher
P. H. Drah	LADYSMITH	245-2197	P. H. Drah
Art JORDAN	Ladysmith	245-3180	Art Jordan
Marlene Georgica	Ladysmith		M. Georgica
John Temple	Ladysmith	245-2366	John Temple
Larry Buffington	FORT FRANCE ONT.	867 274 6212	Larry Buffington
D. McDonald	LADYSMITH	245-0810	D. McDonald
Gary Hendricks	Ladysmith	245-5167	Gary Hendricks
Nikos Amygdalitis	LADYSMITH	714-2923	Nikos Amygdalitis
David Butyti	Ladysmith	245-5509	David Butyti
Randy McCall	Ladysmith	245-3548	Randy McCall
Russ Walker	Ladysmith	924-5848	Russ Walker
Larry L. Cameron	Manawatu	753-6598	Larry L. Cameron
Whuranga	Parkville	927-4016	Whuranga
R. DICKIE	Ladysmith	245-5759	R. Dickie
Colin Turner	ladysmith	245-4090	Colin Turner
Bob Stewart	Ladysmith	245-2659	Bob Stewart
Tony Leasberry	Ladysmith	924-6976	Tony Leasberry

22

**PETITION TO THE TOWN OF LADYSMITH
REQUESTING ANGLE PARKING BE EXTENDED ON FIRST AVENUE FROM THE TROLLEY
STOP AT LADYSMITH CREDIT UNION TO THE FIRE HYDRANT LOCATION**

NAME	ADDRESS	PHONE	SIGNATURE
ELLY YOUNG	2.500 Russell Rd	250-245-2020	<i>[Signature]</i>
Orlet Young	2.500 Russell Rd	250 245.2020	<i>[Signature]</i>
MIKE COPPICK	103 STEPHENSON ST	245 7975	<i>[Signature]</i>
MIKE PETRAK	1124 4th	802 1079	<i>[Signature]</i>
JOSEPH ORTMAN	208 Dogwood	327 7590	<i>[Signature]</i>
ROGER GRIFFIN	290 4th AV. EXT.	245-1011	<i>[Signature]</i>
Chris Baird	9928 Willow St	250-246-3276	<i>[Signature]</i>
John Goodman	12287 Chandler	250-755-6367	<i>[Signature]</i>
Quintin Gden	851 Davidson	250-245-8396	<i>[Signature]</i>
George Shephard	Code Rd	250 245 3927	<i>[Signature]</i>
Simon WARNE	RYAN PLACE	250 245 4071	<i>[Signature]</i>
John Brown	106 GIFFERD RD	250-245-3342	<i>[Signature]</i>
BILL PLAXTON	61 NANAIMO RIVER RD	250 716 2017	<i>[Signature]</i>
Judi PLAXTON	61 NANAIMO RIVER RD.	250-716-2017	<i>[Signature]</i>
Dallas SANDVIK	478A DAVIS RD	250-210-0006	<i>[Signature]</i>
W. Subarida	Bx 292	CEDAR LAKE 277-3882	<i>[Signature]</i>
Brook	15-3560 Hallberg Rd	Ladysmith 250-245-2996	<i>[Signature]</i>
J. RICHARDS	Bx 292	CEDAR LAKE 277-3882	<i>[Signature]</i>
F. N. Markel	Diamond	245 2738	<i>[Signature]</i>
LUIS Davila	3830 Mountain View Drive	797-4907	<i>[Signature]</i>

**PETITION TO THE TOWN OF LADYSMITH
REQUESTING ANGLE PARKING BE EXTENDED ON FIRST AVENUE FROM THE TROLLEY
STOP AT LADYSMITH CREDIT UNION TO THE FIRE HYDRANT LOCATION**

NAME	ADDRESS	PHONE	SIGNATURE
MAUREEN NORMAN	Ladysmith	245 8893	<i>Maureen</i>
LARRY ADAM	Ladysmith	245 8723	<i>Larry Adam</i>
TOM HENNESSY	VICTORIA	668-2224	<i>Tom</i>
JAMES WRIGHT	LADSMITH	245-2353	<i>James</i>
LEO CAVERZAN	NANAIMO	755-9573	<i>Leo</i>
Paul Taylor	920 Okum Pl	667 5707	<i>Paul</i>
GARRY LAIRD	CEDAR	722-3072	<i>Garry</i>
Ken Thomas	Ladysmith	245-0254	<i>Ken</i>
Ray Bandy	LADYSMITH		<i>Ray</i>
Sheryl Sherman	Qualicum	782-9739	<i>Sheryl</i>
Mary Slobner	Victoria	370 2227	<i>Mary</i>
Ed Melnyk	Chemainus	246 9793	<i>Ed</i>
Ken Wood	Ladysmith	245-3014	<i>Ken</i>
Karen McLaughlin	Ladysmith	924-4667	<i>Karen McLaughlin</i>
May Stegmuller	Ladysmith	751 5792	<i>May</i>
Mike Parker	Ladysmith	210-1790	<i>Mike</i>
Ed Segosac	Ladysmith	245-0209	<i>Ed</i>
15 Robinson	Saltain	245-4624	
Rob Pinkerton	LADYSMITH	245 7804	<i>Rob Pinkerton</i>
D WATTS	NANAIMO	243 3576	<i>D Watts</i>
LARRY ONOZIK	LADYSMITH	245-3890	<i>Larry</i>
Kylie Melnick	LADYSMITH	245-3598	<i>Kylie</i>
Jerry Satchell	"	26 245-5203	<i>Jerry Satchell</i>

**PETITION TO THE TOWN OF LADYSMITH
REQUESTING ANGLE PARKING BE EXTENDED ON FIRST AVENUE FROM THE TROLLEY
STOP AT LADYSMITH CREDIT UNION TO THE FIRE HYDRANT LOCATION**

NAME	ADDRESS	PHONE	SIGNATURE
John Parker	1148 3rd Ave	245 4911	<i>[Signature]</i>
Bob Timothy	516 Roberts St.	245-2574	Bob Timothy
Bob Jaughin	417 French	245-9390	Bob Jaughin
RA East Van	1189C Allison TACTIS LK	245 3761 250 246 2312	<i>[Signature]</i> East Van
DAN LEE	CASSIOY 1591 GARDEN RD	250-245-7522	<i>[Signature]</i>
JEFF PLEAS	5056 JONES RD Ladysmith BC	250-924-3256	<i>[Signature]</i>
Art Leo	Cheser 207 1150 WALKER RD LADYSMITH		<i>[Signature]</i>
John Frenchy	10-711 Malone RD Ladysmith		<i>[Signature]</i>
Lynette Thomas	10-711 Malone RD Ladysmith		Lynette Thomas
Larry Ciem	559 Hooper-Ladysmith		<i>[Signature]</i>
BRANTHAM	299 DOGWOOD DR		<i>[Signature]</i>
D Secker	11203 GREEN HILL		<i>[Signature]</i>
D. WILLARD	2841 RITTEN RD.		<i>[Signature]</i>
S. Greenhalgh	634 Wallace Pl		Steve Greenhalgh
E. MARKWART	825 CRAIC RD.		<i>[Signature]</i>
R. BRANSON	658 ALDERWOOD	245 0189	R. Branson
D. Virtanen	1181 Stuart Pl.	245-0606	<i>[Signature]</i>
Roy Halling	16-100 GIFFORD RD	245 1150	R. Halling

**PETITION TO THE TOWN OF LADYSMITH
REQUESTING ANGLE PARKING BE EXTENDED ON FIRST AVENUE FROM THE TROLLEY
STOP AT LADYSMITH CREDIT UNION TO THE FIRE HYDRANT LOCATION**

NAME	ADDRESS	PHONE	SIGNATURE
Carmen Gibson	Ladysmith, BC	250-245-0170	Carmen Gibson
Erin Durban	Ladysmith, BC	250-618-8042	Erin Durban
Patricia Bauml	Ladysmith	250-245-1001	Patricia Bauml
Darlene Munn	Chopstix Salon	250-245-5788	Darlene Munn
Krista Dyer	Ladysmith	250-246-7090	Krista Dyer
Chandel McMurtrie	Ladysmith	250-668-5429	Chandel McMurtrie
Diane L Rintala	Nanaimo	250-754-7148	Diane Rintala
Bonnie Potter	Duncan	250-715-1535	Bonnie Potter
Starla Parkin	Duncan	250-746-7208	Starla Parkin
Dorothy Becking	Duncan	250-748-1207	Dorothy Becking
Meissa Weening	Ladysmith BC	250-735-0310	Meissa Weening
Greg Gott	Ladysmith	(250) 245-8943	Greg Gott
Garry Martin	Ladysmith	250-245-9331	Garry Martin
Gary A Gabrielson	Ladysmith	250-245-3152	Gary A Gabrielson
Steve Bogin	Ladysmith	245-2295	Steve Bogin
Doug Galloway		245-4304	Doug Galloway
Bill Molnar	Ladysmith	250-424-3059	Bill Molnar
JACK DESJARDINS	LADYSMITH	250 245 8778	Jack Desjardins
RON BIRCH	ROCHEMOUNS	250-709-5671	Ron Birch
Al Chellen	900 Hamilton St Ladysmith	250-245-2222	Al Chellen
Terry Lampson	629 Wallace Place	245-5405	Terry Lampson

Add - 6 names on back of prev. sheet.

22


















**PETITION TO THE TOWN OF LADYSMITH
REQUESTING ANGLE PARKING BE EXTENDED ON FIRST AVENUE FROM THE TROLLEY
STOP AT LADYSMITH CREDIT UNION TO THE FIRE HYDRANT LOCATION**

NAME

ADDRESS

PHONE

SIGNATURE

Chance	4334 Fillingar Dr	713 7893	
Kevin Shiell	1190 Stuart Place	250 912 0117	
Key Hymnster	2252 Greenway Rd	250 722 2267	
Glenda Mc Corkell	1050 Dagle St Rd	709 3915	
CHRIS ROBINSON	3740 COTLEVEN DR.	250 797 0617	 <small>PURCHASER DRIVER</small>
Adam Rozovee	433 Fuller St.	245 9207	
Nicole McPherson	#60-971 Douglas Ave	716 1056	
Ryan Grant	210-1011		
Aaron Stone	410B First Ave.	250 245 2222	
Ben Thompson	1180 Stuart Plc		
MARIO JAMES	225 SYMONDS	924 8666	
Natasha Lamontagne	3695 Drinkwater	210 2532	
Travis Jurg	9983 Beach dr.	246 6680	
DEANA BROWER	BUSH ST	591-2565	
Nelia Pereira	1st Ave	924-4041	
Jamie C Corral	#219-12170 222nd St	Maple Ridge 466-9667	
Krista Dyer	434 Parkhill Terrace	250 246-7090	
Diana Madore	2134 Yellow Point	250-797-1485	
Shawna Switzer	140-5TH AVE	(250)245-1423	
TIFFANY MOFFATT	10863 CENEMANUS RD	608-5759	T. Moffatt

**PETITION TO THE TOWN OF LADYSMITH
REQUESTING ANGLE PARKING BE EXTENDED ON FIRST AVENUE FROM THE TROLLEY
STOP AT LADYSMITH CREDIT UNION TO THE FIRE HYDRANT LOCATION**

NAME	ADDRESS	PHONE	SIGNATURE
Martine Callander	65-658 Alderwood Dr	245-9228	M.D. Callander
DAYLE PUFLETT	1347 CEDARWOOD RD	245-4600	Dayle Pufflett
Kathy Holmes #6	815 DUNSMUIR	245-0670	K.Holmes
Judy Hooper	4190 Lupana		Judy Hooper
Joshua Serrida	P.O. Box 1362	N/A	J. Serrida
P. Pastor	Ladysmith cc.		P.B.
Judy Durban	11037 Clemainus Rd	245-4862	J. Durban
Kileen Lynn	4991 blunthe Rd	250-245-0799	Kileen Lynn
Petra LaRiviere	408 Tassin Pl.	250-245-4806	Petra
B Henderson	806 Mackie Rd.	245 5080	B Henderson
Bill Higgo	281 Dogwood.	245-4102	W.P. Higgo
J.B. TAKIAULT	31 W50 WALKOM Rd	245-8076	J.B. Takiault
N. TOORER	3719 GARDNER B	882-5219	N. Toorer
Mike Carrin	785 Bowman AVE.	250 760 0092	Mike Carrin
M. Nelme	833 Warden Pl	250 245 0437	M. Nelme
J. McKenna	125 Methuen St	250 245 3359	J. McKenna
Laurel Ross	309 Warren St College	250-245-2339	Laurel Ross
J. Winnitoy	506 Z Jares Rd.	245-8121	Joaniet Winnitoy
M. Johnson	417 Ketchum St	245-4473	M. Johnson
J. Irving	10940 WESTDOWN Rd.	245-8208	J. Irving
E. Spelman	111 B GIFFORD	245-0455	E. Spelman
Frank Kozlo	1081a Chemainus Rd	924 3007	Frank Kozlo
Phil Norman	1343 Cedarwood Rd	245 9205	Phil Norman
Grant Dambson	551 RIDGEWAY Rd.	924-4435	Grant Dambson

**PETITION TO THE TOWN OF LADYSMITH
REQUESTING ANGLE PARKING BE EXTENDED ON FIRST AVENUE FROM THE TROLLEY
STOP AT LADYSMITH CREDIT UNION TO THE FIRE HYDRANT LOCATION**

NAME

ADDRESS

PHONE

SIGNATURE

Walt Katcher	418 Marlbrook St		Walt Katcher
Wm. Goom	857 Sherris Cr		Wm Goom
FLOYD SOUTH	220 JAMISON RD		Floyd South
Gordon Sedola	509 French St		Gordon Sedola
Bob M'Curly	300 6 th Ave	245-6075	Bob M'Curly
Andrea Rollins	3597 Yellowpoint Rd.	245-9222	Andrea Rollins
Carl Wendle	1312 Cedarwood Rd		Carl Wendle
Esther Hensman	247 Dogwood Dr Ladysmith	245-9971	Esther Hensman
Stu Schoenberger	645 Oakwood Rd, Ladysmith	245-9903	Stu Schoenberger
Garth Gilroy	220 3 rd Ave Ladysmith	245-8119	Garth Gilroy
Wayne Doherty	11892 Allison Rd	245-4466	Wayne Doherty
VINCE KRAVAK	428 Martley Plc	245-3678	Vince Kravak
William	13550 Doolie Rd.	245-4973	William
ART CARLYLE	3812 Gardner Rd.	912-9996	Art Carlyle
David Kriese	10088 Chim		David Kriese
RAY IRVING	1148 2ND AVE	245-2400	Ray Irving
SID NORMAN	2687 CHARLES RD NANAIMO	722-2227	Sid Norman
Ryan Daynes	631 1 st Ave Ladysmith	916-8888	Ryan Daynes
Shawn Mark	1370 Towi cres Ladysmith		Shawn Mark
Dan W. Hewitt	1145 3 rd ave Ladysmith		Dan W. Hewitt

26 → on back

PETITION - PARKING

LADYSMITH

Kristina Hornett 539 Hooper Pl. *[Signature]*

Hugh Cawson 1113 McKimstry St. *[Signature]*

BERNIE JONES 3307 Cook St Covenans *[Signature]*

Dennis *[Signature]* 721-1st Ave *[Signature]*

Trevor Tellier 511 Gowley Place *[Signature]*

Ron Delcourt 417 Mearthen 245 2316 Rd *[Signature]*

RECEIVED
APR 27 2011
TOWN OF LADYSMITH